COUNTRY	CENTRAL INTELLIGENCE AGENCY			
COUNTRY		REPORT N		
COUNTRY	INFORMATION REPORT	CD NO.		
	USSR	DATE DISTR.	7 Ne	52 v
SUBJECT	Rinderpest (Cattle Plague)	NO. OF PAGES	5	50X1
PLACE ACQUIRED		NO. OF ENCLS.		50X1
DATE ACQUIRED		SUPPLEMENT T REPORT NO.	0	50X1 50X1
Date (of	Info)			33/(1
THIS DOCUMENT OF THE UNITED AND 794, OF TH LATION OF ITS PROMISITED BY	THIS IS UNE THE REPRODUCTION OF THIS FORM IS PROMIBITED.	VALUATED INFOR	RMATIO	N _{50X1}
1.	the cattle plague (rinderpest) ex			50X ²
1.	Republic of the USSR in 1928.		Howeve	50X° 50X° 50X°
	Republic of the USSR in 1928. after 1928, wheth	a along the en The zone is border. Withi eterinary faci d permanently spection by Ru ion of the USS i-rinderpest v diseased are they are immed	tire approx n this littles within scian accine trans-	50X 50X 50X 50X 50X
2.	Republic of the USSR in 1928. after 1928, wheth breaks occurred. Beginning with Turkey and extending through Manchuri border of the USSR a special quarantine zone exists. mately 150 kilometers in depth on both sides of the zone are special quarantine stations with complete vall cattle which enter this zone or which are locate the zone are subjected to a systematic veterinary in veterinarians. Further, cattle located in the interenter this zone only after being immunized by an ant all diseased cattle and all those suspected of being ported by rail to the nearest slaughter house where killed. After such a trip, all freight cars carryingly disinfected. Because of this method, plagued cattle zone constantly but are isolated and kept from the reby the same token,	a along the en The zone is border. Withi reterinary faci d permanently spection by Ru io of the USS i rinderpest v caiseased are they are immed g cattle are t e exist in thi est of the USS le are also co	However out-, tire approx n this lities within scian accine trans-iately horoug	50X 50X 50X 50X 50X
2.	Republic of the USSR in 1928. after 1928, wheth breaks occurred. Beginning with Turkey and extending through Manchuri border of the USSR a special quarantine zone exists. mately 150 kilometers in depth on both sides of the zone are special quarantine stations with complete vall cattle which enter this zone or which are locate the zone are subjected to a systematic veterinary in veterinarians. Further, cattle located in the interenter this zone only after being immunized by an antall diseased cattle and all those suspected of being ported by rail to the nearest slaughter house where killed. After such a trip, all freight cars carryingly disinfected. Because of this method, plagued cattle zone constantly but are isolated and kept from the respective plagued.	a along the en The zone is border. Withi reterinary faci d permanently spection by Ru io of the USS i rinderpest v caiseased are they are immed g cattle are t e exist in thi est of the USS le are also co	However out-, tire approx n this lities within scian accine trans-iately horoug	50X 50X 50X 50X 50X
2.	Republic of the USSR in 1928. after 1928, wheth breaks occurred. Beginning with Turkey and extending through Manchuri border of the USSR a special quarantine zone exists. mately 150 kilometers in depth on both sides of the zone are special quarantine stations with complete vall cattle which enter this zone or which are locate the zone are subjected to a systematic veterinary in veterinarians. Further, cattle located in the interenter this zone only after being immunized by an ant all diseased cattle and all those suspected of being ported by rail to the nearest slaughter house where killed. After such a trip, all freight cars carryingly disinfected. Because of this method, plagued cattle zone constantly but are isolated and kept from the reby the same token,	a along the en The zone is border. Withi reterinary faci d permanently spection by Ru io of the USS i rinderpest v caiseased are they are immed g cattle are t e exist in thi est of the USS le are also co	However out-, tire approx n this lities within scian accine trans-iately horoug	50X 50X 50X 50X 50X
2.	Republic of the USSR in 1928. after 1928, wheth breaks occurred. Beginning with Turkey and extending through Manchuri border of the USSR a special quarantine zone exists. mately 150 kilometers in depth on both sides of the zone are special quarantine stations with complete vall cattle which enter this zone or which are locate the zone are subjected to a systematic veterinary in veterinarians. Further, cattle located in the interenter this zone only after being immunized by an ant all diseased cattle and all those suspected of being ported by rail to the nearest slaughter house where killed. After such a trip, all freight cars carryingly disinfected. Because of this method, plagued cattle zone constantly but are isolated and kept from the reby the same token,	a along the en The zone is border. Within eterinary faci d permanently spection by Ru ion of the USS i-rinderpest v cuiseased are they are immed g cattle are the e exist in thi est of the USS le are also con borders of the	However out-, tire approx n this lities within scian accine trans-iately horoug	50X 50X 50X 50X 50X
2.	Republic of the USSR in 1928. after 1928, wheth breaks occurred. Beginning with Turkey and extending through Manchuri border of the USSR a special quarantine zone exists. mately 150 kilometers in depth on both sides of the zone are special quarantine stations with complete vall cattle which enter this zone or which are locate the zone are subjected to a systematic veterinary in veterinarians. Further, cattle located in the interenter this zone only after being immunized by an ant all diseased cattle and all those suspected of being ported by rail to the nearest slaughter house where killed. After such a trip, all freight cars carryingly disinfected. Because of this method, plagued cattle zone constantly but are isolated and kept from the reby the same token,	a along the en The zone is border. Withi reterinary faci d permanently spection by Ru io of the USS i rinderpest v caiseased are they are immed g cattle are t e exist in thi est of the USS le are also co	However out-, tire approx n this lities within scian accine trans-iately horoug	50X 50X 50X 50X 50X

Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr2013/05/17 : CIA-RDP82-00047R000200140005-8

CONFIDENTIAL	/SECTION TOWN	TNIPODMATITON

-2-

- 4. Throughout the entire length of this quarantine zone there are many large centers or stations called Anti-Cattle Plague Points. four such stations:
 - a. Tabaklmelakh, near Tbilisi in Georgia; for service on the Turkish Border
 - b. Zurnabady, near Baku in Azerbaidzhan; for service on the Iranian border
 - c. Kushka; for service on the Afghanistan border
 - d. Chita; for service on the Mongolian border
- 5. In order to produce an effective vaccine, it is necessary to have a constant supply of fresh cattle plague virus. From time to time this is obtained from diseased cattle. It is also possible to cultivate this virus in young calves.

50X1

6. From these facts
rinderpest exists at all times along the borders of the USER but that it
is contained within this 300 mile wide quarantine zone. Otherwise, why
the existence of the special zone, the special large anti-cattle plague
centers, the receiving stations, the vaccine producing centers, and the
quarantine points?

- end -

CONFIDENTIAL/SECURITY INFORMATION